ELSEVIER

Progress in Organic Coatings 29 (1996) 257

PROGRESS IN ORGANIC COATINGS

Author Index of Volume 29

Adkins, J.D., 1
Almeida, E., 247
Annable, T., 183

Balbyshev, S., 21
Barbucci, A., 7
Bassett, D.R., 209
Bellucci, F., 13
Bierwagen, G.P., 21
Biry, S., 81
Boni, G., 89
Bonora, P.L., 89
Brady, Jr., R.F., 1
Buckmann, A.J.P., 183
Bugnon, P., 39

Carbonini, P., 13
Cassarà, A., 159
Cerisola, G., 7
Chang, T.T., 45
Craun, G.P., 55

Dahm, D.B., 61
Dearth, R.S., 73
Decker, C., 81
Deflorian, F., 89
Dettloff, M.L., 117

Fedrizzi, L., 89
Flavian, M., 239
Foster, D., 127
Fujitani, T., 97

German, A.L., 107
Geurts, J.M., 107
Gottenbos, R., 235
Gould, M.L., 117

Haremza, S., 201
Hasegawa, Y., 175
Heckmann, W., 201
Hinson, W.R., 209

Jacobs, P.J., 73
Jacobs, W., 127
Jeffcoate, C.S., 21

Kuo, C.-Y., 55

Lees, R.G., 127
Li, J., 21
Lin, F., 139
Lucassen, M., 235
Lupi, R., 159

Mastronardi, P., 13
Meier, D.J., 139
Meindl, K., 147
Mera, A.E., 1
Mertes, H., 73
Mezger, T., 147
Mills, D.J., 21
Monetta, T., 13
Montanari, A., 159
Morrison, B., 201
Müller-Mall, R., 201

Neag, C.M., 55
Nicodemo, L., 13
Nuyken, O., 147

Ohgaki, A., 167
Ohsugi, H., 167
Okamoto, Y., 175
Overbeek, G.C., 183

Padget, J.C., 183
Pasini, E., 89
Pawlikowski, G.T., 1
Pedroni, E., 7
Perillon, J.L., 7
Peters, A.C.I.A., 183
Pezzani, A., 159
Prior, R.A., 209

Quaranta, A., 159

Rau, M.G., 201
Roe-Short, M.A., 1

Sansur, S., 127
Santos, D., 247
Satoh, K., 195
Scatteia, B., 13
Schlarb, B., 201
Smith, O.W., 209
Šňupárek, J., 225
Spitzer, D., 235

Tallman, D.E., 21
Tanabe, H., 167

Urban, M.W., 195

van Es, J.J.G.S., 107
Van Hensbergen, P., 235
Verkholantsev, V., 239
Vogt-Birnbrich, B., 31

Whiteside, Jr., R.C., 117
Wokaun, A., 147

Yoshino, F., 175

Elsevier Science S.A.

ELSEVIER

Progress in Organic Coatings 29 (1996) 259–261

PROGRESS IN ORGANIC COATINGS

Subject Index of Volume 29

Acetoacetate
  novel synthesis of low VOC polymeric dispersions and their application in waterborne coatings, 31
Acid–base interaction
  stability of pigment and resin dispersions in waterborne paint, 97
Acrylic coatings
  light stabilisation of polymers by radiation-cured acrylic coatings, 81
  stratification of polysiloxanes at the film–air and film–substrate interfaces in silicone-modified acrylic coatings; an ATR FT-IR spectroscopic study, 195
Adsorption
  stability of pigment and resin dispersions in waterborne paint, 97
Alkyl acrylate–styrene copolymers
  hydroresin dispersions: tailoring morphology of latex particles and films, 201
Amine blocked sulfonic acid catalysts
  durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Anticorrosive paints
  a proper way to specify new anticorrosive paint systems, 247
Antifouling coatings
  novel non-toxic coatings designed to resist marine fouling, 1
Atmospheric corrosion
  a proper way to specify new anticorrosive paint systems, 247
Atomic force microscopy
  latex film formation: atomic force microscopy and theoretical results, 139
ATR FT-IR spectroscopy
  stratification of polysiloxanes at the film–air and film–substrate interfaces in silicone-modified acrylic coatings; an ATR FT-IR spectroscopic study, 195
Automotive coatings
  a novel approach to color matching of automotive coatings, 235

$B(AB)_n$ multiblock copolymers
  surface properties of polymer films including multiblock copolymer, 167
Bimodal dispersions
  bimodal dispersions in coating applications, 183

Catalysis
  transesterification cure for coatings: catalysis by epoxy and nucleophiles, 55
Catalyst masterbatch
  durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Chain extension
  novel synthesis of low VOC polymeric dispersions and their application in waterborne coatings, 31
Coating applications
  bimodal dispersions in coating applications, 183
Coil coatings
  EIS study of environmentally friendly coil coating performances, 89
Color matching
  a novel approach to color matching of automotive coatings, 235
Comb polymers
  novel non-toxic coatings designed to resist marine fouling, 1
Contact angle
  surface properties of polymer films including multiblock copolymer, 167
Core–shell particles
  hydroresin dispersions: tailoring morphology of latex particles and films, 201
Corrosion protection
  hydroresin dispersions: tailoring morphology of latex particles and films, 201
Corrosivity categories
  a proper way to specify new anticorrosive paint systems, 247
Critical micelle concentration
  light decomposable emulsifiers: application of alkyl-substituted aromatic azosulfonates in emulsion polymerization, 147
Crosslink activity
  latexes with intrinsic crosslink activity, 107
Crosslinking
  urethane/acrylic composite polymer emulsions, 175
Cyclamic acid
  durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Cyclohexylsulfamic acid
  durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127

Degradation kinetics
  light decomposable emulsifiers: application of alkyl-substituted aromatic azosulfonates in emulsion polymerization, 147
4,4′-Dicyclohexylmethane diisocyanate
  an overview of the structure/property relationship of coatings based on 4,4′-dicyclohexylmethane diisocyanate (H_{12}MDI), 73
Diethylammonium salt of trifluoromethanesulfonic acid
  durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Dimethylamino methylpropanol blocked *p*-toluene sulfonic acid
  durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Dimethylethanol amine blocked p-toluene sulfonic acid
  durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Dispersant
  stability of pigment and resin dispersions in waterborne paint, 97
Dispersion
  stability of pigment and resin dispersions in waterborne paint, 97
Dispersions
  urethane/acrylic composite polymer emulsions, 175
Durable powder coatings
  durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127

Elsevier Science S.A.

Electrochemical characterisation
electrochemical characterisation of multilayer organic coatings, 13
Electrochemical impedance spectroscopy
EIS study of environmentally friendly coil coating performances, 89
Electrochemical noise methods
the use of electrochemical noise methods (ENM) to study thick, high impedance coatings, 21
Emulsifiers
light decomposable emulsifiers: application of alkyl-substituted aromatic azosulfonates in emulsion polymerization, 147
Emulsion copolymerization
statistical studies of branched ester latex and paint properties, 209
Emulsion polymerization
light decomposable emulsifiers: application of alkyl-substituted aromatic azosulfonates in emulsion polymerization, 147
urethane/acrylic composite polymer emulsions, 175
Environment
EIS study of environmentally friendly coil coating performances, 89
Epoxy
transesterification cure for coatings: catalysis by epoxy and nucleophiles, 55
ESCA
surface properties of polymer films including multiblock copolymer, 167
Evaluation techniques
quality of organic coatings for food cans: evaluation techniques and prospects of improvement, 159

Fire retardant coatings
reformulation of fire retardant coatings, 61
Flocculation
stability of pigment and resin dispersions in waterborne paint, 97
Fluopolymer coatings
organic coatings for pre-treated galvanized steel technology, 7
Fluorad® FC-520 catalyst
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Food cans
quality of organic coatings for food cans: evaluation techniques and prospects of improvement, 159

Galvanized steel technology
organic coatings for pre-treated galvanized steel technology, 7
Glossy, matte, wrinkle finish
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Glycoluril crosslinker
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127

Heterophase coatings
polymer structure and properties of heterophase and self-stratifying coatings, 239
high impedance coatings
the use of electrochemical noise methods (ENM) to study thick, high impedance coatings, 21
High solids high performance coatings
linear pendant anhydrides: novel building blocks for high solids, high performance coatings, 117
Hydrocarbon
novel non-toxic coatings designed to resist marine fouling, 1

Interfaces
stratification of polysiloxanes at the film–air and film–substrate interfaces in silicone-modified acrylic coatings; an ATR FT-IR spectroscopic study, 195

Krafft temperatures
light decomposable emulsifiers: application of alkyl-substituted aromatic azosulfonates in emulsion polymerization, 147

Latex
urethane/acrylic composite polymer emulsions, 175
Latex coagulation
light decomposable emulsifiers: application of alkyl-substituted aromatic azosulfonates in emulsion polymerization, 147
Latex coatings
statistical studies of branched ester latex and paint properties, 209
Latexes
latexes with intrinsic crosslink activity, 107
Latex film formation
latex film formation: atomic force microscopy and theoretical results, 139
Light stabilisation
light stabilisation of polymers by radiation-cured acrylic coatings, 81
Linear pendant anhydrides
linear pendant anhydrides: novel building blocks for high solids, high performance coatings, 117

Marine coatings
novel non-toxic coatings designed to resist marine fouling, 1
Melamine coating resins
novel approaches to characterization of melamine coating resins, 45
Methyltolylsufonimide (MTSI)
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Multilayer organic coatings
electrochemical characterisation of multilayer organic coatings, 13

NeoCAR™ latexes
statistical studies of branched ester latex and paint properties, 209
Novel building blocks
linear pendant anhydrides: novel building blocks for high solids, high performance coatings, 117
Nucleophiles
transesterification cure for coatings: catalysis by epoxy and nucleophiles, 55

Overcoat adhesion
surface properties of polymer films including multiblock copolymer, 167

Paint specification
a proper way to specify new anticorrosive paint systems, 247
Paint systems
a proper way to specify new anticorrosive paint systems, 247
Paint technology
stability of pigment and resin dispersions in waterborne paint, 97
Philicity alteration
surface properties of polymer films including multiblock copolymer, 167
Photolysis
light decomposable emulsifiers: application of alkyl-substituted aromatic azosulfonates in emulsion polymerization, 147
Pigment
stability of pigment and resin dispersions in waterborne paint, 97
Pigments
surface treatment of pigments. Treatment with inorganic materials, 39
Poly(butadiene)
novel non-toxic coatings designed to resist marine fouling, 1
Poly(dimethylsiloxane)
novel non-toxic coatings designed to resist marine fouling, 1
surface properties of polymer films including multiblock copolymer, 167

Poly(ethylene)
novel non-toxic coatings designed to resist marine fouling, 1
Poly(ethylene oxide)
surface properties of polymer films including multiblock copolymer, 167
Polymer blends
hydroresin dispersions: tailoring morphology of latex particles and films, 201
Polymer latex tailoring
principles and limits of polymer latex tailoring, 225
Polymer properties
polymer structure and properties of heterophase and self-stratifying coatings, 239
Polymer structure
polymer structure and properties of heterophase and self-stratifying coatings, 239
Polysiloxanes
stratification of polysiloxanes at the film–air and film–substrate interfaces in silicone-modified acrylic coatings; an ATR FT-IR spectroscopic study, 195
Powder coating rheology
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Powderlink® 1174 resin
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Powderlink® MTSI catalyst
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127

Radiation-cured coatings
light stabilisation of polymers by radiation-cured acrylic coatings, 81
Resins
novel approaches to characterization of melamine coating resins, 45

Secondary dispersions
hydroresin dispersions: tailoring morphology of latex particles and films, 201
Self-stratifying coatings
polymer structure and properties of heterophase and self-stratifying coatings, 239
Silicone
novel non-toxic coatings designed to resist marine fouling, 1
Soil resistance
surface properties of polymer films including multiblock copolymer, 167
Solar energy conversion
hydroresin dispersions: tailoring morphology of latex particles and films, 201
Solvent-free polyurethane dispersions
novel synthesis of low VOC polymeric dispersions and their application in waterborne coatings, 31
Stannous methane sulfonate
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Stratification
stratification of polysiloxanes at the film–air and film–substrate interfaces in silicone-modified acrylic coatings; an ATR FT-IR spectroscopic study, 195
Structure/property relationship
an overview of the structure/property relationship of coatings based on 4,4′-dicyclohexylmethane diisocyanate (H_{12}MDI), 73
Surface analysis
surface properties of polymer films including multiblock copolymer, 167
Surface free energy
surface properties of polymer films including multiblock copolymer, 167
Surface treatment
surface treatment of pigments. Treatment with inorganic materials, 39

Tetramethoxymethyl glycoluril
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Theoretical results
latex film formation: atomic force microscopy and theoretical results, 139
Thick
the use of electrochemical noise methods (ENM) to study thick, high impedance coatings, 21
Thick defect-free powder coatings
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127
Transesterification cure
transesterification cure for coatings: catalysis by epoxy and nucleophiles, 55

Ultrafine particle
stability of pigment and resin dispersions in waterborne paint, 97
Urethane
novel non-toxic coatings designed to resist marine fouling, 1
UV degradation
light decomposable emulsifiers: application of alkyl-substituted aromatic azosulfonates in emulsion polymerization, 147

VeoVa 10
statistical studies of branched ester latex and paint properties, 209
Vinyl ester monomers
statistical studies of branched ester latex and paint properties, 209
Vinyl versatate
statistical studies of branched ester latex and paint properties, 209
Viscoelasticity
urethane/acrylic composite polymer emulsions, 175

Waterborne coatings
novel synthesis of low VOC polymeric dispersions and their application in waterborne coatings, 31
statistical studies of branched ester latex and paint properties, 209
Waterborne polyurethanes
urethane/acrylic composite polymer emulsions, 175
WL-Catalyst X-320
durable glossy, matte and wrinkle finish powder coatings crosslinked with tetramethoxymethyl glycoluril, 127

Zeta-potential
stability of pigment and resin dispersions in waterborne paint, 97